

LAB_023 Tissue Collection - Tail Tip in Mice and Rats

I. OBJECTIVE

To describe the tail tip technique used in mice and rats within UQBR facilities.

NB: The use of (*) indicates this statement is dependent on the facility procedures

NB: The use of () indicates this statement is dependent on AEC Approvals**

II. SAFETY

1. Facility and procedure appropriate PPE use is essential when handling laboratory rodents
2. All accidents, injury or near misses are to be reported immediately to the Facility Manager and recorded on a UQ OHS Incident Report Form
 - This procedure has the risk of mouse bite injury – take appropriate care.
 - This procedure has a risk of causing musculoskeletal injury when performed regularly – consider suitable ergonomic design wherever possible

III. EQUIPMENT


- PPE *
Minimum PPE is gloves and gown, additional PPE may be required based on facility or additional risk e.g. working with infectious material.
- Surgery scissors e.g. Iris Scissors
These should be in good working order and sharp to avoid discomfort for the rodent
- Disinfectant *
- Tissue collection tubes and tube holder
- Change station or Bio-safety cabinet *
- Snap lock bags/boxes
- Tissue Identification Slips *
- Forceps

IV. PREPARATION

1. Turn on Change station or Biosafety Cabinet *
2. Clean all surfaces and equipment with disinfectant
This includes disinfecting tools – wiping thoroughly to remove any residue

Conditions:

- Investigators named in an animal ethics application, relative to this SOP, must be competent to implement the SOP
- Any variation to this SOP must be described in the relevant animal ethics application
- If this SOP has not been reviewed and approved by a UQ AEC within the last three years it is no longer valid and cannot be used in animal ethics applications until reapproved (see "AEC Reviewed/Approved" date in this document's header).

 <p>THE UNIVERSITY OF QUEENSLAND AUSTRALIA CREATE CHANGE</p>	<p>UQ Animal Ethics Committee - Standard Operating Procedure LAB_023 Tissue Collection - Tail Tip in Mice and Rats Institutional author: UQ Biological Resources AEC Reviewed & Approved: 8th July 2020</p>	<p>Version #6</p>
		<p>Page 2 of 5</p>

IV. PROCEDURE

Administration

Refer to individual facility workflows for administrative requirements

Refer to the animal management database workflows for database requirements

Restraint of Rodents

Refer to LAB_006 Handling and Restraint of Mice

Clean Technique

Use a clean technique when performing this procedure, this will minimise contamination from pathogens and subsequently infection in research animals.

Anaesthesia Training Consideration

UQ Biological Resources offers anaesthetic training courses to all staff and researchers. It is highly recommended that anaesthesia training is completed before anaesthetising rodents. For more information email uqbrtraincomp@uq.edu.au.

Tail Tip Procedure

- Ensure all instruments to be used have been disinfected and organic material removed between animals to prevent cross contamination.
- Note that this technique can only be performed in conscious mice and rats less than 21 days old.
- Rodents older than this must be anaesthetised for the procedure.
- These instructions assume tissue is being collected for genotyping purposes.
- *The Code* states 3.3.6 Methods used to identify animals must be (i) appropriate for the species and the circumstances (ii) be compatible with the purpose and aims for the project or activity (iii) involve non-invasive methods whenever possible. The use of invasive methods must conform with Clause 3.3.1 (iv) cause the least harm, including pain and distress, to the animals.
- In the unlikely event that genotype results need to be clarified, UQBR technicians may collect one additional tissue sample per rodent. Specific AEC approval is required where additional sampling is commonly requested. Where additional sampling is required, animals will be ear notched to avoid anaesthesia.

Conditions:

- Investigators named in an animal ethics application, relative to this SOP, must be competent to implement the SOP
- Any variation to this SOP must be described in the relevant animal ethics application
- If this SOP has not been reviewed and approved by a UQ AEC within the last three years it is no longer valid and cannot be used in animal ethics applications until reapproved (see "AEC Reviewed/Approved" date in this document's header).

1. Differentiate females and males. Refer to SOP Sexing Rodents

For identification purposes the numbers are consecutively grouped according to sex, the neonates are placed in a clean container to keep the sexes separated.



Figure 1. Females and males are separated into clean containers (UQBR 2020).

2. If identifying animals - assign identification numbers to the litter starting with females

The animal management database used at UQ is configured will create female ID's first. If tail tipping to collect tissue sometimes a separate procedure is performed to also identify the animal.

3. Label tissue collection tubes

4. Starting with females, restrain the rodent, holding the tail in one hand

5. Place the tail into the correct position within the scissors above the collection tube

This will ensure the small tissue sample falls into the collection tube without contamination.




Figure 2. Placement of scissors and tissue into collection tube (UQBR 2020).

6. Swiftly incise the tip of the tail (maximum 1-2mm)

Ensure the scissors used are well maintained and sharp. Discard all blunted scissors and replace as necessary. Adverse events should be referred to LAB_022 UQBR Veterinary Care Program.

Conditions:

- Investigators named in an animal ethics application, relative to this SOP, must be competent to implement the SOP
- Any variation to this SOP must be described in the relevant animal ethics application
- If this SOP has not been reviewed and approved by a UQ AEC within the last three years it is no longer valid and cannot be used in animal ethics applications until reapproved (see "AEC Reviewed/Approved" date in this document's header).

7. The tissue will land in the collection tube. Seal the collection tube.
If the tissue falls onto the work surface, use disinfected forceps to collect and place into the tissue collection tube. Note: the tissue sample may fall onto the work surface and be drawn into the Cabinet filter. To prevent losing the tissue sample, complete the work over a tray with raised edges ensuring airflow of the cabinet is not obstructed, or work well inside the work area.
8. Apply pressure to stem any blood flow when required
9. Disinfect scissors between animals by dipping into 70% ethanol, making sure to wipe dry *
The scissors are dipped or sprayed with 70% ethanol. The scissors are then wiped dry with clean paper towel. This step is required because sensitive genotyping protocols could detect cells from the previous sample causing an inconclusive or incorrect genotype result.



Figure 3. Ethanol filled container to disinfect equipment (UQBR 2020).

10. Repeat Steps until all females are toed
11. Repeat Steps until all males are toed
12. Place collection tubes and tissue identification slip* into snap lock bag or tissue collection box
Follow the specific packing instructions for the genotyping provider that is used.
13. Place the litter into the home cage and return to the rack
14. Disinfect the holding containers ready for next use
15. Disinfect instruments between litters, making sure to remove all residue
16. Continue from Step 1 for remaining litters to be toed
17. Place zip lock bag/box into designated fridge or collection point
Generally tissues samples are stored in a fridge rather than a freezer to avoid degradation of the cells and to improve use of the tissue for genotyping. When tissue is placed into the freezer there is potential for the water molecules expand and burst the cells degrading the DNA.


V. REFERENCE INFORMATION

UQBR Training Consideration

For UQBR training purposes animals may remain for a number of days to monitor. Adverse effects may take time to develop and can assist with the assessment of competency.

Conditions:

- Investigators named in an animal ethics application, relative to this SOP, must be competent to implement the SOP
- Any variation to this SOP must be described in the relevant animal ethics application
- If this SOP has not been reviewed and approved by a UQ AEC within the last three years it is no longer valid and cannot be used in animal ethics applications until reapproved (see "AEC Reviewed/Approved" date in this document's header).

 <p>THE UNIVERSITY OF QUEENSLAND AUSTRALIA CREATE CHANGE</p>	UQ Animal Ethics Committee - Standard Operating Procedure LAB_023 Tissue Collection - Tail Tip in Mice and Rats Institutional author: UQ Biological Resources AEC Reviewed & Approved: 8th July 2020	Version #6
		Page 5 of 5

VI. REFERENCES

1. National Health and Medical Research Council (NHMRC) 2008, *Guidelines to promote the wellbeing of animals used for scientific purpose*, viewed 11 April 2019, <https://www.nhmrc.gov.au/about-us/publications/guidelines-promote-wellbeing-animals-usedscientific-purposes>
2. Office of the Gene Technology Regulator (OGTR) n.d., viewed 11 April 2019, <http://www.ogtr.gov.au/>
3. University of Queensland n.d., *Health, safety and wellbeing*, viewed 11 April 2019, <https://staff.uq.edu.au/information-and-services/health-safety-wellbeing>
4. University of Queensland n.d., *Incidents, injuries and hazard*, viewed 11 April 2019, <https://staff.uq.edu.au/information-and-services/health-safety-wellbeing/health-safetyworkplace/incidents-injuries-hazards>
5. UQ Biological Resources n.d., *UQBR SOP's*, viewed 11 April 2019, <https://biologicalresources.uq.edu.au/secure/reference-information#SOP's>
6. UQ Biological Resources, *2020 UQBR Photo Library*.

Conditions:

- Investigators named in an animal ethics application, relative to this SOP, must be competent to implement the SOP
- Any variation to this SOP must be described in the relevant animal ethics application
- If this SOP has not been reviewed and approved by a UQ AEC within the last three years it is no longer valid and cannot be used in animal ethics applications until reapproved (see "AEC Reviewed/Approved" date in this document's header).